

### WE ARE ON THE ROADS

For a cleaner world...

# TO INHERIT WHAT WE INHERITED FROM NATURE...

As PILOTCAR, we are proud of producing Turkey's first electric utility vehicles on this road we embarked on in 2011 and our initiatives that opened up to the world, while challenging our imagination to transform the world into a more beautiful place.

We think that it is our greatest responsibility to future generations and the world we live in, to make efforts to erase these traces before they reach an irreversible point.

We believe that our motivation to produce positive solutions and our successful initiatives will inspire future generations for a more livable world. Therefore, we transfer our knowledge and experience to sustainable energy in order to reduce carbon emissions, protect our future and leave a cleaner legacy for future generations.

New ideas and changing needs excite us. Offering environmentally friendly technology and high performance, our vehicles are designed and produced to suit your needs and demands. They will now become an integral part of your daily life.

## SIMISIN

### YOUNG LIKE US!

### **SUSTAINABLE LIFE**

PILOTCAR is developed in such a way that, while offering you practical solutions in your daily work and social life; at the same time it is responsive for the environment which we are a part of. It is an important actor of the concept of sustainable life which is necessary for all living things.

### "0" EMISSION

For protecting the environment and a more livable world, PILOTCAR manufactures only 100% Electric Vehicles.

### WHY PILOTCAR?

Our choices that change within the axis of developing technology and transforming life standards, promotes us to use Electric Vehicles.

### REWRITE THE **RULES!** Powered by electricity, the PC-2 rewrites the rules of the game with its dynamic, fun and sporty spirit. PILOTCAR PILOTEAR



### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 90 km RANGE

90 km range with full charge



### **SOLID & AESTHETIC**

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance





## ADVANCED TECHNOLOGY AND ELEGANCE TOGETHER

It's time to escape the monotonous routine and reach the pinnacle of luxury and comfort.

Equipped with unique details of exceptional design and tailored to your needs, the PC 2+2 offers you an experience that goes beyond the ordinary.





## AN EXCEPTIONAL COMPANION

Discover your limits with the PC-2 Lifted, engineered for power and performance, passing the toughest tests in every adrenaline-filled adventure.



### **POWER** ELECTRIC-48 V (AC)



	AC	
	- 4 kW (5.44 hp) Rated	
Motor Power	9.6 kW (13 hp) Peak	
	- 6 kW (8.20 hp) Rated	
	12.46 kW (16.95 hp) Peak	
	- Lead-Acid Battery Package 6x8V (8.16 kWh)	
Battery	- Lithium Battery Package (5.4 kWh)	
·	- Lithium Battery Package (10.8 kWh)	
	Lead-Acid Battery Package	
	Onboard Charge Unit	
Ob	110-220 VAC@8 1A/48V	
Charge Unit	Lithium Battery Package	
	3.3 kW Onboard Charge Unit	
	85-265 VAC@16A 40A/48V	
Matau Oantual IInit	AC	
Motor Control Unit	350 A-450 A	

### **STEERING & SUSPENSION SYSTEM**



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion  Option: Electric Power Steering (EPS)
Suspension Front	Fully independent, automotive type, McPherson style strut suspension
Suspension Rea	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system	
Parking Brake	Electromagnetic parking brake	

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating

### (Y GENERAL



Curb Weight	Lead-Acid Battery Package: $692 \text{ kg} *$ Lithium Battery Package (5.4kWh): $479 \text{ kg} *$ Lithium Battery Package (10.8 kWh): $528 \text{ kg} *$
Dagganger Canacity	1+1 Passenger
Passenger Capacity	1+3 Passengers
Load Capacity	400 kg
Towing Capacity	500 kg
	20.5 x 8-10 PILOTCAR On-Road Tires and
Tyre Dimensions	Aluminum Wheels
	22 x 9.50-10 Off-Road Tire**

### **PERFORMANCE**



Max. Forward Speed	24 km/h - 40 km/h*
Max. Reverse Speed	8 km/h
Range	Lead-Acid Battery Package: 60 km ** Lithium Battery Package (10.8 kWh): 90 km ** Lithium Battery Package (5.4 kWh): 55 km **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 6 hrs
	100% - 8 hrs
	Lithium Battery Package (10.8 kWh)
Charge Time	80% - 4 hrs
	100% - 6 hrs
	Lithium Battery Package (5.4 kWh)
	80% - 3 hrs
	100% - 5 hrs
Turning Radius	3 m





\*\* Only applied w/ lift kit option



Length	2395 mm
Width	1215 mm
Height	1965 mm* 1200 mm**
Wheelbase	1640 mm
Ground Clearance	110 mm
* w/ Sunton	

<sup>\*</sup> w/ Suntop

### WARRANTY



	2 years full warranty (Except wearable items)
	5 years limited warranty (Motor and motor
Warranty	control unit)
	70% performance at min. 2500 cycles for
	lithium battery packages

<sup>\*\*</sup> w/o Suntop





### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 80 km RANGE

80 km range with full charge



### **SOLID & AESTHETIC**

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION


100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance

LITHIUM III POWERED



## A JOURNEY TO THE PINNACLE OF STYLE


Get ready to step out of your everyday life and plunge into a world of dazzling design and high performance.






## POWER AND PERFORMANCE EMBEDDED IN ITS DNA

Built with power and performance in its DNA, PC-4 LIFTED will give you every second of freedom and allow you to push your limits.





### **POWER**

ELECTRIC-48 V (AC)



Motor Power	AC - 4 kW (5.44 hp) Rated 9.6 kW (13 hp) Peak - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak	
Battery	<ul><li>- Lead-Acid Battery Package 8x6V (11.52 kWh)</li><li>- Lithium Battery Package (5.4 kWh)</li><li>- Lithium Battery Package (10.8 kWh)</li></ul>	
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V	
Motor Control Unit	<b>AC</b> 350 A-600 A	

### **STEERING & SUSPENSION SYSTEM**



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion <b>Option:</b> Electric Power Steering (EPS)
Suspension Front	Fully independent, automotive type, McPherson style strut suspension
Suspension Rea	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system
Parking Brake	Electromagnetic parking brake

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating

### **GENERAL**



Curb Weight	Lead-Acid Battery Package $718\mathrm{kg}$ * Lithium Battery Package (5.4 kWh): $505\mathrm{kg}$ * Lithium Battery Package (10.8 kWh): $554\mathrm{kg}$ *
Passenger Capacity	1+3 Passenger 1+5 Passenger
Load Capacity	600 kg
Towing Capacity	1000 kg
Tyre Dimensions	20.5 x 8-10 PILOTCAR On-Road Tires and Aluminum Wheels 22 x 9.50-10 Off-Road Tire**
* Standart Vehicle w/	batteries

### DEDECODMANCE



PERFORMANCE	607
Max. Forward Speed	24 km/h - 45 km/h*
Max. Reverse Speed	8 km/h
Range	Lead-Acid Battery Package 80 km ** Lithium Battery Package (10.8 kWh): 80 km ** Lithium Battery Package (5.4 kWh): 55 km **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 7 hrs
	100% - 9 hrs
	Lithium Battery Package (10.8 kWh)
Charge Time	80% - 4 hrs
	100% - 6 hrs
	Lithium Battery Package (5.4 kWh)
	80% - 3 hrs
	100% - 5 hrs
Turning Radius	4.3 m



\*\* Only applied w/ lift kit option



Standard Vehicle w/o Op	otions	
Length	3240 mm	
Width	1215 mm	
Height	1925 mm* 1200 mm**	
Wheelbase	2480 mm	
Ground Clearance	110 mm	

<sup>\*</sup> w/ Suntop

<sup>\*\*</sup> w/o Suntop





	2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor
Warranty	control unit)
	70% performance at min. 2500 cycles for
	lithium battery packages



### + 1

### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 9 80 km RANGE

80 km range with full charge



### SOLID & AESTHETIC

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance







### THE POWER

Feel the power and comfort of the PC-6 with its performance oriented design and high passenger capacity.

### **POWER**

ELECTRIC-48 V (AC)



Motor Power	AC - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak
Battery	- Lead-Acid Battery Package 8x6V (11.52 kWh) - Lithium Battery Package (10.8 kWh)
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V
Motor Control Unit	<b>AC</b> 450 A-600 A

### **STEERING & SUSPENSION SYSTEM**



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion  Option: Electric Power Steering (EPS)
Suspension Front	Fully independent, automotive type, McPherson style strut suspension
Suspension Rea	Leaf springs w/dual hydraulic shocks

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system
Parking Brake	Flectromagnetic parking brake

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating

### **GENERAL**



Curb Weight	Lead-Acid Battery Package: $746~kg$ * Lithium Battery Package (10.8 kWh): $611~kg$ *
Passenger Capacity	1+5 Passenger 1+7 Passenger
Load Capacity	800 kg
Towing Capacity	1500 kg
Tyre Dimensions	20.5 x 8-10 PILOTCAR On-Road Tires and Aluminum Wheels

<sup>\*</sup> Standard Vehicle w/ batteries

### PERFORMANCE



	· · · · · · · · · · · · · · · · · · ·
Max. Forward Speed	24 km/h - 35 km/h*
Max. Reverse Speed	8 km/h
Range	Lead-Acid Battery Package: 80 km ** Lithium Battery Package (10.8 kWh): 80 km **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 7 hrs
Charge Time	100% - 9 hrs
Charge Time	Lithium Battery Package (10.8 kWh)
	80% - 4 hrs
	100% - 6 hrs
Turning Radius	5.6 m

### **DIMENSIONS**





Length	4050 mm
Width	1225 mm
Height	2000 mm* 1220 mm**
Wheelbase	3320
Ground Clearance	143 mm

<sup>\*</sup> w/ Suntop

### WARRANTY



2 years full warranty (Except wearable items)
5 years limited warranty (Motor and motor
control unit)
70% performance at min. 2500 cycles for
lithium battery packages

<sup>\*\*</sup> w/o Suntop



### +

### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 80 km RANGE

80 km range with full charge



### **SOLID & AESTHETIC**

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance



Telef SASSAGE



LIGHTENS YOUR LOAD

PC-W is waiting to lighten your load with environmentally friendly technology that delivers maximum performance.



### **POWER**

ELECTRIC-48 V (AC)



	AC	
	- 6 kW (8.20 hp) Rated	
Motor Power	12.46 kW (16.95 hp) Peak	
	- 10 kW (13.60 hp) Rated	
	22.43 kW (30.50 hp) Peak	
Dottom	- Lead-Acid Battery Package 8x6V (11.52 kWh)	
Battery	- Lithium Battery Package (10.8 kWh)	
	Lead-Acid Battery Package	
	Onboard Charge Unit	
Charge Unit	110-220 VAC@8 1A/48V	
	Lithium Battery Package	
	3.3 kW Onboard Charge Unit	
	85-265 VAC@16A 40A/48V	
	AC	
Motor Control Unit	450 A-600 A	

### **STEERING & SUSPENSION SYSTEM**



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion  Option: Electric Power Steering (EPS)
Suspension Front	Fully independent, automotive type, McPherson style strut suspension
Suspension Rea	Leaf springs w/dual hydraulic shocks

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system	
Parking Brake	Electromagnetic parking brake	

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating

### \* Standart Vehicle w/ batteries

### **DIMENSIONS**

**GENERAL** 

**Curb Weight** 

**Load Capacity** 

**Towing Capacity** 

Tyre Dimensions

**Passenger Capacity** 

Standard Vehicle w/o

Options		ļ
	0640	

20.5 x 8-10 PILOTCAR On-Road Tires and

Lead-Acid Battery Package: 661 kg \*

1+1 Passenger

Aluminum Wheels 22 x 9.50-10 Off-Road Tire\*\*

800 kg

1500 kg

Lithium Battery Package (10.8 kWh): 526 kg \*

Width         1310 mm           Height         1950 mm* 1220 mm**           Wheelbase         2500 mm
Wheelbase 2500 mm
One word Ole a ware a 140 mans
Ground Clearance 143 mm
<b>3-Side Open Aluminum Cargo Box</b> 1300 x 1800 x 400 mm
Mesh Style Sided Steel Cargo Box 1240 x 1750 x 1300 mm
<b>Closed Cargo Box</b> 1240 x 1750 x 1300 mm

<sup>\*</sup> w/ Suntop \*\* w/o Suntop

### WARRANTY

	_
	17.
	uv
	11
	/-
	- 4

	2 years full warranty (Except wearable items)
	5 years limited warranty (Motor and motor
Warranty	control unit)
	70% performance at min. 2500 cycles for
	lithium battery packages



	Lead-Δcid Rattery Package: 80 km **
Max. Reverse Speed	8 km/h
Max. Forward Speed	24 km/h - 35 km/h*

Lead-Acid Battery Package: 80 km 3 Range Lithium Battery Package (10.8 kWh): 80 km \*\*


Max. Gradeability 25%

> Lead-Acid Battery Package 80% - 7 hrs 100% - 9 hrs

**Charge Time** Lithium Battery Package (10.8 kWh)

> 80% - 4 hrs 100% - 6 hrs

**Turning Radius** 4.4 m



<sup>\*\*</sup> Only applied w/ lift kit option

## **ALWAYS ON HAND FOR HELP** With its simple and practical handling, speed and manoeuvrability, the PC-A is specifically designed to provide the fastest response in emergency situations.

### LITHIUM BATTERY PACK

Longer range, shorter charging time

0 0352 135 16 16 mm

### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption

### 1

### 90 km RANGE

90 km range with full charge



### SOLID & AESTHETIC

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly




### AC MOTOR

Clean environment, high performance

LITHIUM III POWERED

AMBULANCE

柳三 三世 三班





### THE FOCUS IS ON YOU

PC-A puts your health and safety first. Designed with you in mind, it is always at your side, helping you quickly and effectively whenever you need it.

It keeps you safe on the road because you always come first.

### **POWER** ELECTRIC-48 V (AC)



Motor Power	AC - 4 kW (5.44 hp) Rated 9.6 kW (13 hp) Peak - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak	
Battery	- Lead-Acid Battery Package 6x8V (8.16 kWh) - Lithium Battery Package (5.4 kWh) - Lithium Battery Package (10.8 kWh)	
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V	
Motor Control Unit	<b>AC</b> 350 A-450 A	

### **STEERING & SUSPENSION SYSTEM**



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion  Option: Electric Power Steering (EPS)
Suspension Front	Fully independent, automotive type, McPherson style strut suspension
Suspension Rea	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system
Parking Brake	Flectromagnetic parking brake

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating

### **GENERAL**



Curb Weight	Lead-Acid Battery Package: 561 kg * Lithium Battery Package (5.4 kWh): 443 kg * Lithium Battery Package (10.8 kWh): 492 kg *				
Passenger Capacity	1+1 Passenger - Stretcher				
Load Capacity	300 kg				
Towing Capacity	-				
Tyre Dimensions	20.5 x 8-10 PILOTCAR On-Road Tires and Aluminum Wheels				

<sup>\*</sup> Standard Vehicle w/ batteries

### PERFORMANCE



	V ✓
Max. Forward Speed	24 km/h - 30 km/h*
Max. Reverse Speed	8 km/h
Range	Lead-Acid Battery Package: 60 km ** Lithium Battery Package (10.8 kWh): 90 km ** Lithium Battery Package (5.4 kWh): 55 km **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 6 hrs
	100% - 8 hrs
	Lithium Battery Package (10.8 kWh)
Charge Time	80% - 4 hrs
	100% - 6 hrs
	Lithium Battery Package (5.4 kWh)
	80% - 3 hrs
	100% - 5 hrs
Turning Radius	3 m

### **DIMENSIONS**

Standard Vehicle w/o Options



Length	2775 mm
Width	1360 mm
Height	2015 mm* 1200 mm**
Wheelbase	1640 mm
Ground Clearance	110 mm

<sup>\*</sup> w/ Suntop

### WARRANTY



Warranty

2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance at min. 2500 cycles for

lithium battery packages

<sup>\*\*</sup> w/o Suntop





### LITHIUM BATTERY PACK

Longer range, shorter



### **REGENERATIVE BRAKING** SYSTEM

Increase of efficiency in energy consumption



### 80 km RANGE



SOLID & AESTHETIC
With the dynamic and elegant design, all eyes are on you




100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance






### THE PATH TO FREEDOM

The PC-H is the perfect travelling companion with its integrated wheelchair system.

With PC-H, every journey brings you freedom and independence.



### **POWER**

ELECTRIC-48 V (AC)



	AC	
	- 6 kW (8.20 hp) Rated	
Motor Power	12.46 kW (16.95 hp) Peak	
	- 10 kW (13.60 hp) Rated	
	22.43 kW (30.50 hp) Peak	
Dattama	- Lead-Acid Battery Package 8x6V (11.52 kWh)	
Battery	- Lithium Battery Package (10.8 kWh)	
	Lead-Acid Battery Package	
	Onboard Charge Unit	
<b>a</b> l 11 %	110-220 VAC@8 1A/48V	
Charge Unit	Lithium Battery Package	
	3.3 kW Onboard Charge Unit	
	85-265 VAC@16A 40A/48V	
	AC	
Motor Control Unit	450 A-600 A	

### STEERING & SUSPENSION SYSTEM



Steering	Self-compensating, double reduction, no lubrication required, helical rack and pinion <b>Option:</b> Electric Power Steering (EPS)				
Suspension Front	Fully independent, automotive type, McPherson style strut suspension				
Suspension Rea	Leaf springs w/dual hydraulic shocks				

### **BRAKE SYSTEM**



Service Brake	4-wheel hydraulic drum brake system
Parking Brake	Electromagnetic parking brake

### **BODY & CHASSIS**

PERFORMANCE

Max. Forward Speed

Max. Reverse Speed

Max. Gradeability

**Charge Time** 

**Turning Radius** 

Range



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Black, Special Color				
Chassis	Automotive style steel frame with high corrosion resistance Sanding/E-coating/Static Wet Paint/PVC Coating				

24 km/h - 35 km/h\*

Lead-Acid Battery Package: 80 km \*\*

Lithium Battery Package (10.8 kWh)

Lead-Acid Battery Package

Lithium Battery Package (10.8 kWh): 80 km \*\*

8 km/h

25%

80% - 7 hrs 100% - 9 hrs

80% - 4 hrs 100% - 6 hrs

5.6 m

### **GENERAL**



Curb Weight	Lead-Acid Battery Package: $737 \text{ kg} *$ Lithium Battery Package (10.8 kWh): $602 \text{ kg} *$				
Passenger Capacity	1+3 Passenger 1+5 Passenger Wheelchair				
Load Capacity	700 kg				
Towing Capacity	1500 kg				
Tyre Dimensions	20.5 x 8-10 PILOTCAR On-Road Tires and Aluminum Wheels				

<sup>\*</sup> Standard Vehicle w/ batteries

### **DIMENSIONS**

Standard Vehicle w/o Options



Length	4050 mm
Width	1285 mm
Height	2000 mm* 1220 mm**
Wheelbase	3320 mm
Ground Clearance	143 mm

<sup>\*</sup> w/ Suntop

### WARRANTY



2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance at min. 2500 cycles for lithium battery packages



<sup>\*\*</sup> w/o Suntop










Polycarbon Foldable Windshield



Windshield Wiper



Extended Suntop



Aluminum Cargo Box



Suntop



Rear View Mirror



Side View Mirrors



Sport Steering Wheel



Stretcher



Thermoplastic Cargo Box



Security Glass Windshield



Windshield Wash System




Facelift Front Body



Driver Protection Steel Plate

### COLOR OPTIONS



Black







Standard LED Lighting System



Halogen Driving Lights



LED Driving Lights



Digital Vehicle-Info Screen





Electric Powered Steering System USB 12V Input

External Heater



Waterproof Stereo-System



LED Beacon Light - Amber



LED Beacon Light - Red & Blue



Auxiliary LED Light



Fire Extinguisher



Rear-View Camera



Lithium Battery Package (5.4 kWh/105 Ah)




Lithium Battery Package (10.8 kWh/210 Ah)



Golf Type Seat - Black (w/ 2-Point Seat Belt)



Golf Type Seat - Tobacco (w/ 2-Point Seat Belt)



Premium Seat - Tobacco (w/ 2-Point Seat Belt)



Premium Seat - Black (w/ 2-Point Seat Belt)



Tow-hitch



Side Step



Front Brush Guard



Lift Kit

On-road Tyres & 10" Aluminum Wheels



Off-road Tyres & Wheels

## CARGO



3-Side Open Aluminum Cargo Box



Mesh Style Sided Steel Cargo Box

Closed Cargo Box





Golf Basket and Bag Holder

Golf Bag Cover





Sand Box

Cool Box



### STANDARD EQUIPMENT

	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
4 kW AC motor	√	<b>√</b>			√	
6 kW AC motor			<b>√</b>	√		√
6x8V Lead-Acid Battery	<b>√</b>				√	
8x6V Lead-Acid Battery		√	√	√		√
4-Wheel Hydraulic Drum Brake System- Electromagnetic Parking Brake	√	√	√	√	√	√
Regenerative Brake	√	√	√	√	√	√
Hill Start Assist	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
State of Charge (SOC) Indicator	<b>√</b>	√	√	√	√	<b>√</b>
On-Board Charger	<b>√</b>	√	√	<b>√</b>	<b>√</b>	<b>√</b>
Stretcher and Attendant Seat					√	
LED Blue Beacon Light					√	
Aluminum Wheelchair Ramp w/ Lock						<b>√</b>
Wheelchair Fixing System						√
Ergonomic Premium Seat					√	
Ergonomic Golf-Type Seat	√	<b>√</b>	<b>√</b>	√		√
20,5x8-10 PILOTCAR On-Road Tires and Aluminum Wheels	√	<b>√</b>	√	√	√	√

### OPTIONAL EQUIPMENT

MOTOR	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
AC Motor: 6 Kw	√				<b>√</b>	
AC Motor: 10 kW		√	<b>√</b>	<b>√</b>		√
BATTERY	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Lithium Battery Pack (5,4 kWh)	<b>√</b>	<b>√</b>			<b>√</b>	
Lithium Battery Pack (10,8 kWh)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√
STEERING SYSTEM	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Electric Powered Steering (EPS)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
COLOR	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
White	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√
Black	√	√	<b>√</b>	<b>√</b>	<b>√</b>	√
Midnight Blue	√	√	<b>√</b>	<b>√</b>	<b>√</b>	√
Special Color	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	√

BODY	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Suntop (White, Midnight Blue, Black, Special Color)	<b>√</b>	√	√	√	√	√
Extended Suntop (1)	√	<b>√</b>				
Security Glass Windshield	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Polycarbon Foldable Windshield	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Rear-view Mirror	√	<b>√</b>	√	<b>√</b>	<b>√</b>	√
Side Mirrors	√	√	√	√	√	√
Wiper (2)	<b>√</b>	<b>√</b>	√	√	√	√
Windshield Washer System (3)	√	√	√	√	√	<b>√</b>
Foldable Rear Seat	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
Port Baggage (235 lt) (w/ or w/out lid)	√	√	√			√
Aluminum Cargo Box	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
Sport Steering Wheel	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Facelift Front Body	√	<b>√</b>	√	<b>√</b>	√	√
Stretcher					√	
CARGO	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
3-Side Open Aluminum Cargo Box (1300x1800x400 mm) <sup>(13)</sup>				√		
Closed Cargo Box (1240x1750x1300 mm)				<b>√</b>		
Mesh Cargo Box (1240x1750x1300 mm)				<b>√</b>		

TECHNOLOGY AND SAFETY	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Standard LED Lighting	<b>√</b>	<b>√</b>	√	√	√	√
Halogen Headlights w/ DRLs (4)	<b>√</b>	√	√	√	√	<b>√</b>
LED Headlights w/ DRLs (5)	√	√	√	<b>√</b>	√	<b>√</b>
LED Additional Lighting	√	√	√	√	√	<b>√</b>
Digital Indicator (6)	√	√	√	<b>√</b>	<b>√</b>	<b>√</b>
LED Beacon Light (Amber)	√	√	√	√		<b>√</b>
LED Beacon Light (Red-Blue)	√	√	√	<b>√</b>		<b>√</b>
Water-proof Sound System (Soundbar)	√	√	√	√		√
Fire Extinguisher	√	√	√	<b>√</b>	<b>√</b>	√
External Heater	√	√	√	√	√	<b>√</b>
3.3 kW Charger Unit (7)	√	√	√	<b>√</b>	√	<b>√</b>
USB Inlet	√	√	√	√	√	<b>√</b>
Rear-view Camera	<b>√</b>	√	√	<b>√</b>	<b>√</b>	<b>√</b>
SEAT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Standard Golf Seat - Black (8)	<b>√</b>	<b>√</b>	√	<b>√</b>		<b>√</b>
Standard Golf Seat - Tobacco (8)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>
Premium Seat - Black (9)	<b>√</b>	√	√	√	√	√
Premium Seat - Tobacco (9)	<b>√</b>	√	√	√	√	√

OFF-ROAD EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Lift Kit (10)	<b>√</b>	<b>√</b>		√		
Front Brush Guard	√	<b>√</b>	<b>√</b>	√	√	<b>√</b>
Tow-Bar (11)	<b>√</b>	<b>√</b>	<b>√</b>	√		<b>√</b>
GOLF EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Golf Basket and Bag Holder	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
Icebox	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
Sandbox	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
Golf Bag Protection Cover	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>
TIRES AND WHEELS	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
22x9.5-10 Off-Road Tire (12)	√	<b>√</b>		√		

### INFORMATION

1-	Extended Suntop (Applicable only w/ Foldable Rear Seat option)
2-	Wiper (Applicable only w/ Security Glass Windshield option)
3-	Windshield Washer System (Applicable only w/ Facelift Front Body option)
4-	Halogen Headlights w/ DRLs (Applicable only w/ Facelift Front Body option)
5-	LED Headlights w/ DRLs (Applicable only w/ Facelift Front Body option)
6-	Digital Indicator (Applicable only w/ lighting system)
7-	3.3 kW Charger Unit (Applicable only w/ Lithium Battery Pack)
8-	Standard Golf Seat (w/ 2-point seat belt)
9-	Premium Seat (w/ 2-point seat belt)
10-	Lift Kit (Includes Side Step)
11-	Tow-Bar (Not applicable w/ Foldable Rear Seat option)
12-	22x9.5-10 Off-Road Tire (Applicable only w/ Lifting Kit option)
13-	3-Side Open Aluminum Cargo Box (Applied w/ driver protection mesh)

PILOTCAR reserves the right to make changes to this table.



### OUR INNOVATIONS TURNS INTO OUR

If you will add innovation to your life, all the details should be well considered

Every PILOTCAR vehicle that has been produced since 2011 is manufactured on the basis of high technology, advanced technical integrated production,

To offer you comfort and unsurpassed quality as a work of perfectionist

THAT'S WHAT PILOTCAR WAS MADE FOR!



### **WARRANTY**



Our 24/7 team of experts is there for you if necessary



5-year warranty on motor and control unit



2-year full warranty

### **TRUST**









ISO 14001:2015 ISO 9001:2015 ISO 45001:2015



### INFORMATION

All vehicles are designed for recreational areas. Please read the user manual carefully.

\*\*\* This catalog is for promotional purposes only, the information provided is subject to change without notice.

### **AUTHORIZED SERVICES**



For our dealers and authorized services:

www.pilotcar.com.tr





### **FACTORY IN TÜRKİYE**

Telephone: +90 224 411 02 86 – 87 Fax: +90 224 411 05 34 Address: Işıktepe OSB Mah. Eflatun Cad. No: 8 Nilüfer / BURSA-TÜRKİYE PK: 16215 e-mail: info@pilotcar.com.tr

### **USA WAREHOUSE & OFFICE**

Telephone: +1 (239) 243 80 23 Fax: +1 (239) 349 26 10 Address: 6293 Thomas Rd. Fort Myers FL 33912, USA e-mail: sales@pilotcarev.com